

gafer.pl

PROFESSIONAL STAGE ACCESSORIES

PRODUCT CATALOG

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

ABOUT US

We created gafer.pl brand, to meet the needs of customers. Its products have a reasonable price, while maintaining high quality standards.

gafer.pl is the best price-quality ratio we have been able to get.

gafer.pl is a brand belonging to PAteam Krzysztof Białobrzewski – a company specializing in providing accessories used in the stage, entertainment, film, theater, event and related industries.

Our priority is to offer the highest quality products.



TABLE OF CONTENTS

01. TAPES -----	4
02. GLOVES -----	17
03. FLASHLIGHTS -----	23
04. HOLDERS -----	28
05. CABLE TIES -----	40
06. MARKERS -----	45
07. STAGE COVERS -----	48
08. OUTFIT -----	51

01

TAPES

The products of the gafer.pl brand are of excellent quality and are dedicated to the stage industry. Our gaffer tapes have a matt finish, are made of fabric, can be torn by hand and leave no residue on the application surface. Here is a brief introduction to our products.

MATT BLACK FABRIC GAFFER TAPE

[CLICK HERE](#)



Excellent adhesion properties at low and high temperatures. Good performance on rough surface. Excellent tearing and unwinding. Clean removal for long period.



TECHNICAL DATA

Backing	PE coated cloth
Adhesive type	Natural rubber
Elongation (%)	11
Total thickness (mm)	0.30 +/- 0.020
Breaking Strength (N/10 mm)	57.2
Tensile strength (N/cm (W))	55.7
Holding Power (mm/hr, sq.ich., 1kg)	Below 2.3
Adhesion to steel (N/25mm (W))	9 (Nominal)
Ball tack (ball no.)	20
Adhesive Strength (180 ° Peel)	9.8

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

MAX MATT BLACK FABRIC GAFFER TAPE

[CLICK HERE](#)



Excellent adhesion properties at low and high temperatures, stronger adhesive by approx. 30% than matt gaffer tape. Good performance on rough surface. Excellent tearing and unwinding. Clean removal for long period.



TECHNICAL DATA

Adhesive	Natural rubber
Total thickness (mm)	0.30±0.015
Adhesion to steel	18 (Nominal)
Tensile strength (N/cm (W))	55.7
Holding Power (mm/hr, sq.ich., 1kg)	Below 2.3
Elongation (%)	9
Ball tack (ball no.)	25
Backing	PE coated cloth

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

FLUO TAPE

Low-gloss finished PE coated fluorescent colored cloth tape with a rubber based adhesive. High quality purpose for irregular surface, stationery, dance club, floor.



TECHNICAL DATA

Backing	PE coated cloth
Adhesive-base	Natural rubber
Total thickness (mm)	0,3
Peel adhesion (kg/25mm)	0,7
Rewind force (kg/50mm)	4
Tensile strength (kg/25mm)	16
Holding power (25mmx25mm/40°C)	20 min
Ball tack (cm/ball no. 20)	20
Heat resistance (°C)	40
Application temperature (°C)	5-35
Storage life (20°C/60%)	6 months

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PRO FLUO TAPE

Copolymer coated cloth adhesive tape with natural rubber based adhesive. High quality with super strong tensile strength for special purpose. Perfectly no shiny grade and good removal. Hand tearable. Excellent waterproof and abrasion resistance.



TECHNICAL DATA

Backing	Fabric
Adhesive-base	Natural rubber
Total thickness (mm)	0,3 (11.8 mil)
Peel adhesion (kg/25mm)	1 (35oz)
Tensile strength (kg/25mm)	25 (55lbs)
Holding power (25mmx25mm/40°C)	Over 1 hour
Elongation (%) (25mm x 100mm)	6

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PRO MAT TAPE

Copolymer coated cloth adhesive tape with natural rubber based adhesive. High quality with super strong tensile strength for special purpose. Perfectly no shiny grade and good removal. Hand tearable. Excellent waterproof and abrasion resistance.



TECHNICAL DATA

Backing	Fabric
Adhesive-base	Natural rubber
Total thickness (mm)	0,3 (11.8 mil)
Peel adhesion (kg/25mm)	1 (35oz)
Tensile strength (kg/25mm)	25 (55lbs)
Holding power (25mmx25mm/40°C)	Over 1 hour
Elongation (%) (25mm x 100mm)	6

Reflexibility is tested in 250nm wave length and 1100nm visible ray on tape.

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

CAMO CAMOUFLAGE FABRIC GAFFER TAPE

[CLICK HERE](#)



Low-gloss finished PE coated cloth tape with a rubber based adhesive. Uses for military, climbing and hunting. Hand tearable, excellent waterproof and abrasion resistance.



TECHNICAL DATA

Backing	PE coated cloth
Adhesive-base	Natural rubber
Total thickness (mm)	0.3
Peel adhesion (kg/25mm)	0.7
Tensile strength (kg/25mm)	16
Holding power (25mmx25mm/40°C)	20 min
Ball tack (cm / ball no. 20)	20
Heat resistance (°C)	40
Application temperature (°C)	5-35
Storage life (20°C/60%)	6 months

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

DANCE FLOOR PVC TRANSPARENT TAPE

[CLICK HERE](#)



Transparent PVC tape designed for connecting ballet and stage floors. The tapes have a properly matched adhesive that will not remain on the surface and will not damage the surface of the stage floors.



TECHNICAL DATA

Total thickness (mm)	0.15
Tensile strength (N/cm)	22
Elongation at break (%)	180
Adhesive to steel (N/cm)	1.5
Adhesive to backing (N/cm)	1.3
Voltage resistance (V)	600
Temperature resistance (C°)	-10 to 80

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

DANCE FLOOR PVC BLACK MATT TAPE

[CLICK HERE](#)



Flexible and tensile resistant black tape for connecting ballet floors. Made of PVC, this tape is perfect for all stage and ballet floors. Its small thickness makes the tape does not stand out on the dance floor and is almost unnoticeable for users. Our tape does not damage the surface after its removal and provides the highest comfort and safety. It is also resistant to humidity, corrosion and abrasion.



TECHNICAL DATA

Total thickness (mm)	0.18
Tensile strength (N/cm)	26
Elongation at break (%)	180
Adhesive to steel (N/cm)	1.5
Adhesive to backing (N/cm)	1.3
Voltage resistance (V)	600
Temperature resistance (C°)	-10 to 80

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

CABLE WRAP BLACK PVC INSULATING TAPE

The tape is characterized by a mild adhesive, low stretch and the fact that it tears easily in your hands. It is perfect for temporary wrapping and protecting cables. It has good adhesion and will not leave adhesive residue. It also has a low elasticity which makes it easy to tear in your hands. PVC tape is waterproof and self-extinguishing. It protects cables from physical, mechanical and chemical damage.



TECHNICAL DATA

Tensile strength (N/cm)	13
Elongation at break (%)	160
Adhesion of adhesive to steel (N/cm)	1.5
Adhesion of adhesive to substrate (N/cm)	1.3
Voltage resistance (V)	600
Temperature resistance (C°)	-10 to 80

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.


PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

CABLE COVER BLACK AND YELLOW TUNNEL TAPE

Striped PE coated Tunnel Tape has adhesive only on the outer zone edges to create a tunnel to protect cords, cables and wires from the adhesive material.



TECHNICAL DATA

Backing	PE coated cloth
Adhesive-base	Natural rubber
Total thickness (mm)	0.3
Peel adhesion (kg/25mm)	1.0
Rewinding force (kg/50mm)	2
Tensile strength (kg/25mm)	13 (ADHESIVE PART) 16 (NON ADHESIVE PART)
Holding power (25mm x 25mm / 40°C)	20 min
Ball tack (cm / ball no. 20)	10
Heat resistance (°C)	40
Application temperature (°C)	5-35
Storage life (20°C/60%)	6 months


All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

CABLE COVER BLACK MATT TUNNEL TAPE

[CLICK HERE](#)



Black tunnel tape in matte black colour is a perfect solution for hiding connections wherever it's necessary. Commonly used in TV production and live applications. Tape use high quality adhesive materials that in short-term use leave no residue on the surface.



TECHNICAL DATA

Backing	PE coated cloth
Adhesive-base	Natural rubber
Total thickness (mm)	0.3
Peel adhesion (kg/25mm)	0.7
Rewinding force (kg/50mm)	4
Tensile strength (kg/25mm)	16
Holding power (25mm x 25mm / 40°C)	20 min
Ball tack (cm / ball no. 20)	20
Heat resistance (°C)	40
Application temperature (°C)	5-35
Storage life (20°C/60%)	6 months

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl


ECO MATT BLACK FABRIC TAPE

[CLICK HERE](#)



Low-gloss finished PE coated cloth tape with a rubber based adhesive.

Suitable for entertainment type application like concert, trade show etc. where minimal visibility of tape is desired.



TECHNICAL DATA

Backing	PE coated cloth
Adhesive-base	Natural rubber
Total thickness (mm)	0.23
Peel adhesion (kg/25mm)	0.7
Rewinding force (kg/50mm)	3
Tensile strength (kg/25mm)	8
Holding power (25mm x 25mm / 40°C)	20 min
Ball tack (cm / ball no. 20)	20
Heat resistance (°C)	40
Application temperature (°C)	5-35
Storage life (20°C/60%)	6 months

All the technical data are average values. We advice users to test the material required to ensure the suitability of intended application. The company reserves the right to improve products and change specifications which may alter performance.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

02

GLOVES

Gloves from gafer.pl have been designed with the features needed when working on stage. A priority shared by all models is the optimum hand fit, which makes manual work possible. In addition, all models have a touch screen sensitive function for operating touch screens, e.g. on smartphones. They are equipped with a hole reinforcement so that they can be hung on a glove holder or a carabiner. They have strong double stitched seams in strategic places and terry material to wipe away the sweat.

XTRA LITE GLOVES

Gloves are made of perforated material and with an elastic cuff (no hook and loop fastening). Gloves use a touch screen sensitive function on the index finger and thumb, which allows you to use your phone without removing the gloves. In addition, they are comfortable, with a special hole for hanging on a carabiner or glove catcher. They also have double reinforced stitching and terry cloth placed on the outside of the thumb to wipe away sweat.



TECHNICAL DATA

Polyamide nylon	70%
Polyurethane	14%
Spandex	9%
Cotton	7%

LITE GLOVES

The inner part of the gloves and fingers is made of a thin but strong material. The outer part from even thinner, breathable and flexible. On the index finger and thumb on the gripping part of the palm, a double-stitched, reinforced material with a touch screen sensitive system (active for screen monitors) was sewn in. The cuff, which does not restrict the mobility of the hand, has reinforcement for pulling the gloves on and fastening them to a glove clip or carabiner. In addition, a white piece of rubber appears on the models that have hook and loop cuff fastener, which can be written on.



TECHNICAL DATA

Polyamide nylon	57%
Polyester	18%
Polyurethane	14%
Spandex	4%
Cotton	7%

MAX GLOVES

Gloves made of airy and flexible material, dedicated to precision work. For a comfortable and precise fit they use a comfortable hook and loop cuff, which is additionally equipped with an ID tag - a white surface on which you can write with a marker. The gloves are reinforced with additional material on the fingertips of all fingers, and thin foam in the grip area and on the knuckles. The seams in vulnerable areas are strong and double-stitched to offset the risk of damage. In addition, rubber protection on the outer parts of the fingers has been applied. They are equipped with a touch screen sensitive system that allows you to use touch screens.



TECHNICAL DATA

Polyamide nylon	70%
Polyurethane	18%
Spandex	5%
Cotton	7%

FRAMER GLOVES

Comfortable and professional work gloves fit your hand perfectly. Exposed three fingers provide readiness to perform demanding manual work without having to take off the gloves. In addition, they guarantee high comfort and precision of work. In order to move the hand comfortably, the framer gloves use short cuffs with glued and then sewn, skin-safe fastener. It is provided with an ID tag (a place to sign the gloves) and an element for pulling and attaching the gloves to a handle or carabiner. Strategic areas (inside the palm and on the knuckles) are protected by a foam pad. Meanwhile, the outer parts of the fingers are protected by rubber elements. The fingertips of the framer gloves are protected by an additional layer of material, sewn with a double seam. The fingers and the gripping part of the palm are covered with a silicone non-slip material, and a frotté is placed on the thumbs.



TECHNICAL DATA

Polyamide nylon	76%
Polyurethane	14%
Spandex	4%
Cotton	6%

GRIP GLOVES

The grip gloves are characterized by a non-slip silicone net, which increases grip. They are made of flexible and breathable material, which is a guarantee of comfort. The grip gloves are characterized by a non-slip silicone net, which increases grip. They are made of flexible and breathable material, which is a guarantee of comfort.



TECHNICAL DATA

Polyamide nylon	76%
Polyurethane	14%
Spandex	4%
Cotton	6%

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl



FLASHLIGHTS

Designed to meet all the needs of those working on stage, e.g. with red light, but also to be powered by the most common batteries (LR6/AA), which every technical team has in their case. There is no room for coincidence – everything has been thought out and designed in an optimal way for our industry.

2-CELL AA LED FLASHLIGHT

Three lighting modes – strong, medium and strobo are available. Protection against dampness and dustiness is due to the rubber seal securing the diode and access to the battery. However, one-hand use is facilitated by a reliable, push-button switch for the flashlight and for those interested in the case/cover/belt holster.



TECHNICAL DATA

Appearance	- aluminium carabiner - black lanyard - silicone white imprint - plastic black clasp
Type of fastening	clasp
Carabiner composition	aluminium
Lanyard composition	polyester, plastic
Length	40 cm
Total weight	49 g
Carabiner weight	16 g
Lanyard weight	33 g

WARNING:

Corrosive solutions or gases may leak from any batteries. If the flashlight is not used frequently, remove the batteries and store them separately. Use alkaline batteries manufactured by recognized brands. Follow the battery manufacturer's instructions for proper battery handling, storage and disposal. This is not a toy for children.

1-CELL AA LED FLASHLIGHT

The light source in the gafer.pl flashlight is the CREE XPE LED. It consumes little energy, thanks to which it works for over 10 hours, even with the most powerful lighting option. It has three lighting modes: medium, strong and stroboscope.



TECHNICAL DATA

Light source	CREE XPE
Voltage	1,5 V
Light intensity (lumens)	80 lm
Lens material	PC
Housing material	Aluminum Alloy
Battery type	1-Cell AA battery (excluded)
Run time High	10 hours
Effective range	40 m
Dimensions	10,2 x 2,5 x 1,6 cm
Weight	43,5 g
Modes of operation	Mid/High/Flash (stroboscope)
LED operation time	100 000 hours

WARNING:

Corrosive solutions or gases may leak from any batteries. If the flashlight is not used frequently, remove the batteries and store them separately. Use alkaline batteries manufactured by recognized brands. Follow the battery manufacturer's instructions for proper battery handling, storage and disposal. This is not a toy for children.

FLASHLIGHT BELT HOLSTER

[CLICK HERE](#)



Cover for gafer.pl LED flashlight in the form of a belt holster.

Compatible with gafer.pl LED AA flashlight and gafer.pl LED 2xAA.



TECHNICAL DATA

Material	100% polyester
----------	----------------

Dimensions	12/22 x 5 cm
------------	--------------

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385



1-CELL AA LED HEADLIGHT

[CLICK HERE](#)



In the gafer.pl headlamp the source of white light is CREE XPD LED, which can be used in the following two lighting modes – medium or strong. While the red light is provided by 2 pieces of SMD. The red light is not very strong, but it is enough to see, at the same time discreet enough to ensure invisibility on the backstage during the concert.



TECHNICAL DATA

Light source	CREE XPD+2pcs SMD red
Voltage	1,5 V
Light intensity (lumens)	XPD-70 lm,SMD-20 lm
Lens material	ABS
Battery type	1-Cell AA battery (excluded)
Run time High	XPD-5 hours, SMD-8 hours
Effective range	15 m
Dimensions	6,4 x 3,6 x 2,7 cm
Weight	45,7 g
Modes of operation	Low/High, long press ON/OFF switch 2 SMD
LED operation time	100 000 hours

WARNING:

Corrosive solutions or gases may leak from any batteries. If the flashlight is not used frequently, remove the batteries and store them separately. Use alkaline batteries manufactured by recognized brands. Follow the battery manufacturer's instructions for proper battery handling, storage and disposal. This is not a toy for children.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl



04

HOLDERS

We are also very proud of our wide selection of, often original, accessories such as gaffer holders, gloves holders or zip-tie holsters, rubber cable ties, carabiners and much more. Each of these products is a solution designed with reverence by a person who works on stage, valuing the voices of colleagues in the industry.

ZIP-TIE HOLSTER

Equipped with two tightening straps that keep them in one place, it effectively prevents their loss. The first strap is a stretchy rubber cord that will wrap around the bag's diameter as soon as it is tightened. It is secured with a metal eyelet to prevent possible damage.

The second strap is a bit wider, 15 mm long polyester, used to regulate the bag diameter and has a blockade against possible stretching. Thanks to it, the handle can be threaded through the trouser belt, and the plastic carabiner we have included can be used to fasten it if necessary.

This holster is designed in such a way that the diameter provides space for the entire set of one hundred pieces of 4.8 mm width, and thanks to the height of 21 cm, it fits perfectly on the stringers with a minimum length of 100 mm and longer.



TECHNICAL DATA

Length (incl. carabiner)	21 cm
Weight	4 g

GAFFER HOLDER

Comfortable leash on the spring hook for hanging gaffer tapes so that they are always at hand. Easy and convenient tape assembly.

Includes a spring hook for lanyard fastening.



TECHNICAL DATA

Appearance	- aluminium carabiner - black lanyard - silicone white imprint - plastic black clasp
Type of fastening	clasp
Carabiner composition	aluminium
Lanyard composition	polyester, plastic
Length	40 cm
Total weight	49 g
Carabiner weight	16 g
Lanyard weight	33 g

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

STRING HOLDER

Handy and functional string for hanging smaller gaffer tapes.

Perfect to use with 12 mm width tapes.



TECHNICAL DATA

Appearance	- carabiner - string - silicone imprint on heat shrinking tube
String composition	100 % polyethylene
Total length	28 cm
String thickness	0,3 cm
Total weight	18 g

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

STRING HOLDER WITH "S" CARABINER

String for hanging smaller gaffer tapes. Aluminum "S" spring hook allows to hanger it on the belt loop; it also provides simple and convenient tape assembly.



TECHNICAL DATA

Length	29 cm
Width	40 mm
Weight	23 g
Material	aluminium

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

GLOVE HOLDER

Comfortable, aluminum spring hook allows to hanger it on the belt loop; in addition, a strong metal clip ensures a simple hooking of the gloves, and its rubber finish prevents damage to the fabric.



TECHNICAL DATA

Colour	black
Materials	polyester, PVC and aluminium
Weight	40 g
Length	18 cm
Appearance	- aluminium carabiner - short lanyard - metal clip

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

GLOVE CATCHER

The catcher has been created with an extremely strong plastic clip that provides a secure grip on the gloves. Even so, there is no fear of damaging the material. The catcher has a very wide spacing (50 mm).

The set includes gafer.pl aluminum carabiner, which can be easily attached to the belt loop, backpack, etc.



TECHNICAL DATA

Appearance	- aluminium carabiner - plastic clip
Weight	40 g
Length with a spring hook	17 cm

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

GLOVE GUARD GLOVE CLIP

[CLICK HERE](#)



Glove Guard clip is the only original clip with a patented safe tear-off system. The system protects against damage caused by hanging on the clip. The clip is made of high quality plastic, does not conduct electricity, does not corrode. It has two hooks: a smaller one that can be attached to a belt loop or clothes, and a larger one for attaching gloves.



TECHNICAL DATA

Appearance	two plastic clips
Length	11 cm
Weight	17 g
Material	plastic
Durability	max 5 kg

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385


gafer.pl

DETECTABLE GLOVE GUARD GLOVE CLIP

[CLICK HERE](#)



Intended for use in the food industry. A handy and functional clip that will prevent the gloves from getting lost and make them remain within reach. It is detectable by a metal detector. The clip is made of high quality plastic, does not conduct electricity, does not corrode. It has two hooks: a smaller one that can be attached to a belt loop or clothes, and a larger one for attaching gloves. Glove Guard has also been equipped with a safe tear-off system operating at a load of over 5 kg – protects against damage caused by hanging on the clip.



TECHNICAL DATA

Appearance	two plastic clips
Length	11 cm
Weight	17 g
Material	plastic
Durability	max 5 kg

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

CARABINER

Aluminum spring hook with a laser engraver.
Comfortable one-hand operation.



TECHNICAL DATA

Width	40 mm
Length	78 mm
Weight	16 g
Material	aluminium

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

LARGE CARABINER

Large carabiner for hanging handy tools and accessories. Black, thirteen-centimeter, made of aluminum and adapted for one-handed operation.



TECHNICAL DATA

Width	70 mm
Length	130 mm
Weight	48 g
Material	aluminium

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

“S” CARABINER

Lightweight snap hook is equipped with a double-sided spring clasp, so you do not have to unfasten the snap hook from your backpack or trouser belt to change the composition of attached items.



TECHNICAL DATA

Width	40 mm
Length	88 mm
Weight	21 g
Material	aluminium

CAUTION: Not designed or rated for climbing or fall arrest.

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

05

CABLE TIES

We offer several products that help in cable management including: professional gafer.pl hook and loop tie, rubber cable tie T-fix type and nylon zip tie.

RUBBER CABLE TIE

T-FIX TYPE

Rubber tie, which is ideal for holding, gripping, tying cables, but also other small items for trusses, tripods or cords. Rubber bands, rubber T-FIX ties are very durable, flexible, reusable, and above all they leave no traces of adhesive on the cables. The closing and opening system is very easy and convenient.



TECHNICAL DATA

Weight	- 80 mm – 100 g
	- 160 mm – 270 g
	- 230 mm – 550 g
Width	- 80 mm – 4 mm
	- 160 mm – 5 mm
	- 230 mm – 8 mm
Thickness	circa 2 mm
Material	rubber

HOOK AND LOOP TIE

Hook and loop tie, band equipped with a description field, which facilitates identification, and a buckle that facilitates the process of strapping the cables. Designed for repeated opening and closing. The tie consists of two types of hook and loop tape: longer one with loops and shorter one with hooks.



TECHNICAL DATA

Appearance	- velcro tape - imprint - metal brace
Weight	- 260 mm – 25g - 400 mm – 32g - 550 mm – 38g
Width	25 mm

NYLON ZIP TIE

Ties made of nylon are characterized by a very high tear resistance.

Perfect for any installation work, on stage as well as on film, TV or other sets.



TECHNICAL DATA

Material	100% nylon
Sizes and colour options	<ul style="list-style-type: none">- 100 mm x 2.5 mm (black)- 140 mm x 3.5 mm (black)- 300 mm x 4.8 mm (black, white)- 370 mm x 4.8 mm (black, white)- 430 mm x 4.8 mm (black)- 530 mm x 4.8 mm (black)
Fire resistance class	94V-2
Temperature range	from -40 to +85 degrees Celsius

Please mind that the zip ties actual size may differ (+/- 5%).

RE-CLIP NYLON ZIP TIE

[CLICK HERE](#)



Cable zip ties, reusable with a large convenient lever to open the tie. High quality cable ties, very flexible and strong.



TECHNICAL DATA

Temperature operation range	-40 to +85 degrees Celsius
Length	300 mm
Width	7.6 mm
Tensile strength	22.2 kg
Material	polyamide 6,6

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

06

HAZER

acrylic gaffer.pl marker
marks on anything

MARKERS

The latest gadget from gaffer.pl are markers in two options. A mini marker which can be clipped onto a bundle of keys or a backpack so that it is always at hand! Then there is the acrylic version in bright colours dedicated to writing on black gaffer tape.

MINI PERMANENT MARKER

[CLICK HERE](#) 

The handy mini marker allows you to write precisely on most surfaces. The alcohol-based ink ensures that writing remains fade- and smudge-resistant. Thanks to its size, it will easily fit into any pocket.



TECHNICAL DATA

Features

- fast-drying, smudge and fade resistant ink
- detachable cap protects against ink drying out and dirt
- metal holder for attaching to keys or bags
- abrasion-resistant tip
- fine line thickness 1 mm

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

ACRYLIC MARKER

Acrylic marker is a handy and extremely durable marker which can be used to write on dark substrates. It is perfect for writing on many surfaces such as paper, metal, plastic, glass or wood. It is perfectly visible on black gafer tape and owes this to its strong pigmentation. The marker should be shaken before use. It gains permanence after it dries and becomes water and fade resistant. The silver-coloured marker is characterised by a shiny glow.



TECHNICAL DATA

Features

- water- and sun-resistant
- fine line thickness approx. 2 mm
- wear-resistant tip
- writes on all surfaces
- should be shaken before use
- permanent when dry

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl



07

STAGE COVERS

An interesting feature of our product range are black, waterproof, mould-resistant stage covers. Designed to protect music equipment in harsh outdoor conditions. Attached with sturdy handles to protect them from ripping. They can be purchased with a storage bag.

BLACK STAGE COVER

[CLICK HERE](#)



Covers protect stage equipment and musical instruments from rain, dust, sun and mold. They are made of strong yet very lightweight and waterproof material. The material is resistant to abrasion and easy to clean.

The tarps have special strong fabric stitching in the form of handles, spaced every 50cm around the tarp. Thanks to these handles, we can conveniently and safely secure the tarp from being torn off by the wind or other weather factors.



TECHNICAL DATA

Grammage	44 g/m ²
Material	100% nylon
Washing	40°C

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385



BLACK STAGE COVER STORAGE BAG

[CLICK HERE](#)



Black bag for stage covers is a warranty of protection of covers from mechanical damage before, and after their use. We can fit up to four pieces of large gafer.pl 400 x 425 cm tarps inside.



TECHNICAL DATA

Dimension	60 x 49 cm
Grammage	44 g/m ²
Material	100% nylon
Washing	40°C

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385



08

A person is shown from the back, wearing a black t-shirt with 'STAGE CREW' printed in large white letters. They are also wearing a black cap with 'STAGE CREW' on the back. The person has a tan fanny pack and is wearing black gloves. They are standing in a dark, industrial environment with metal structures and scaffolding. The lighting is dramatic, highlighting the person's arms and the text on their shirt.

**STAGE
CREW**

OUTFIT

The last, but not least, product category is gafer.pl's outfits: t-shirts, sweatshirts, sleeveless jackets, snapback and winter caps. All with the STAGE CREW logo, as we are proud to be part of it!

STAGE CREW POMPOM BEANIE

CLICK HERE



Old-school, acrylic, warm and soft beanie with pom-pom from gafer.pl STAGE CREW series. The beanie is unisex, unisize. It perfectly adapts to any head, all thanks to acrylic.



TECHNICAL DATA

Material	100% acrylic
Washing	30°C
Caution	- do not dryclean - do not bleach - do not iron

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

STAGE CREW F*** OFF SNAPBACK CAP

[CLICK HERE](#)



Black, woolen-acrylic six panel snapback cap. One size fits all thanks to elastic strap on the cap's backside.



TECHNICAL DATA

Material	80% cotton 20% polyester
Embroideries	- on the front: STAGE CREW – 3D embroidery - on the back: FU*K OFF – flat embroidery - on the side: gafer.pl – flat embroidery
Washing	40°C

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

MEN'S SLEEVELESS JACKET STAGE CREW

[CLICK HERE](#)



It is made of material that has been treated with a durable, factory-made waterproofing treatment, so that water condenses and runs off its surface (DWR technology - Durable Water Repellency). In addition, the top-quality thermal insulation used in it is environmentally friendly (Dupont™ Sorona®). The product is free of fluorine and PFCs.



TECHNICAL DATA

Material	80% cotton 20% polyester
Drying	Tumble dryer safe
Washing	40°C

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

STAGE CREW F*** OFF 2.0 HOODIE

[CLICK HERE](#)



Black hoodie with a zipper. Herringbone neck tape adds comfort and stability, while front seams slim the shoulders.



TECHNICAL DATA

Material	80% cotton 20% polyester
Drying	Tumble dryer safe
Washing	40°C

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385



HOODIE GAFER.PL STAGE CREW 2.0

[CLICK HERE](#)



Hoodie has a zipper closure, two pockets, and is extremely pleasant to the touch thanks to high-quality combed cotton. The two-layer hood provides extra protection for your head against wind and cold.



TECHNICAL DATA

Material	80% cotton 20% polyester
Drying	Tumble dryer safe
Washing	40°C

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl

STAGE CREW F*** OFF 2.0 T-SHIRT

Made of special cotton, thanks to which it will not expand and shrink when washed. Additionally it will not stain other items in the washing machine. Moreover, it has a reinforcing tape that additionally protects against tearing in the most exposed places.



TECHNICAL DATA

Material	100% cotton
Drying	Tumble dryer safe
Washing	40°C

T-SHIRT GAFER.PL STAGE CREW 2.0

[CLICK HERE](#)



T-shirt is made of 100% combed ring-spun cotton with high fibre density and a smooth surface. Thanks to a small number of seams, it provides high wearing comfort, reducing to a minimum the possibility of chafing and irritation during strenuous physical activity.



TECHNICAL DATA

Material	100% cotton
Drying	Tumble dryer safe
Washing	40°C

PAteam Krzysztof Białobrzewski

gafer@gafer.pl | +48 71 7165385

gafer.pl